

Product Specification

eastwise asia sourcing & procurement

Updated on 2016/3/7 Updated on 2016/3/16 Updated on 2016/12/15 . Updated on 2016/12/21 Updated on 2016/12/22

Manutan ERP No.:A135399 Manutan SKu.:1986-413 Vendor Item No.: MNT413

Description: Expanding barrier - 4m

Color: White + Red

Overall size: L4210 x W510 x H960mm

Weight: 9.85Kgs



Key Parts Specification:

Main Stand Tube: L30xW30xH930xT1.0mm(after coating), Color Red (Ral 3020),3pcs $\label{lower} L25xW12xH867xT0.8mm,\ Color\ Red\ (Ral\ 3020) + White\ (Ral\ 9003), 16pcs$ Movable Tube: Base Tube: L510xW50xH25xT1.0mm(after coating), Color Red (Ral 3020),3pcs Finishes: Galvanized Steel + Powder coated should be thicker than 50um



Length after folded (350mm)



Auto locker







Plastic Pads











Washer(electroplate)

Thickness:1.8-2mm







Screws(ss 201)









Key Factors

- 1. The dimension of the barriers should be consistent, tolerence is ±8mm.
- 2. The thickness should be within 5% tolerance as requirement
- 3. No obvious scratch,rust,oxidation mark.
- 4. Product should be stable on the ground, no wobbling.
- 5. UV protection test for 180 hours/ Grey scale class 4, salt spray test 240hours no rust found
- 6. Tubes does not interfere with each other when the rail being extended or folded
- 7. No poly-putty base used for welding.

Carton Specification

	Carton Dimension(cm)	Corrugate Board	Flutes	Strength (Bursting)	Joint	Style
Master Carton	L85xW8xH45cm	Double wall(5 laver)	A. B	7 kgf / cm ²		RSC



RSC carton

Packaging method
KD package then 1pcs into 1 carton box.

Assembly Instruction



UserGuide_Barriers_A135399 _15_LG.pdf

Pack Labels

Label on sell unit and stick on 1 side, Label size: W100xH130mm









All you need. With love. www.manutan.com

Quantity: 1 Pce

A135399

Barrière extensible - 4m Expanding barrier - 4m Erweiterbare Absperrung - 4m Barriera Estensibile - 4m Barreira extensível - 4m Barrera extensible - 4m Schaarhekken - 4m

PO# Number: 80418154 N.Weight: 13.5 kgs G.Weight: 14.2 kgs

A135399

OUTER PACK